



SAFETY DATA SHEET CONTROLL INNERSEAL PLUS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONTROLL INNERSEAL PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Applications Concrete sealer.

1.3. Details of the supplier of the safety data sheet

Supplier BETONGTETT AS

STOREBOTN 13D N-5309 KLEPPESTØ Tel: +47 46 17 17 00 www.betongtett.no

Contact person Roy Eide (e-mail: roy@betongtett.no)

1.4. Emergency telephone number

Emergency telephone number 112 # The UK National Poisons Emergency number: +44 870 600 6266 WEB:

http://www.toxbase.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to directives 67/548/EEC, 99/45/EC & 2001/58/EC

(DSD/DPD)

Classification according to directive

1272/2008 (CLP)

Hazard Lithium / potassium silicate solution with a mole ratio > 3.2. According to tests

conducted by CEFIC, lithium / potassium silicate solutions having a mol ratio > 3.2

and a solids <40% by weight, is not subjected to labelling.

2.2. Label elements

CLP

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P311 Call a POISON CENTER or doctor/physician.

2.3. Other hazards

Meets the criteria for vPvB No.

Meets the criteria for PBT No.

Date of issue: 20.11.2019

Other hazards which do not contribute

No known risks.

to classification

37388

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ingredients

Name	EC No.	CAS No.	Content	Symbol	Classification
water	231-791-2	7732-18-5	60-100 %	-	
potassium silicate solution, mol ratio > 3,2, solids < 40 %	215-199-1	1312-76-1	5-40 %	-	
lithium silicate solution, mol ratio > 3,2, solids < 40 %	235-270-0	12627-14-4	2-20 %	-	

CLP

Name	REACH No.	Content	Symbol	Classification	CAS No.
water	N/A	60-100 %			7732-18-5
potassium silicate solution, mol ratio > 3,2, solids < 40 %	01-21194568 88-17-xxxx	5-40 %			1312-76-1
lithium silicate solution, mol ratio > 3,2, solids < 40 %	01-21198992 48-18-xxxx	2-20 %			12627-14-4

Composition comments Lithium / potassium silicate solution with a mole ratio > 3.2. According to tests

conducted by CEFIC, lithium / potassium silicate solutions having a mol ratio > 3.2

and a solids <40% by weight, is not subjected to labelling.

Section 16 contains detailed classification phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

General If symptoms persist or in doubt, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Specific first aid treatment No specific first aid measures noted.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation Move the exposed person to fresh air at once.

Ingestion Drink plenty of water. Do not induce vomiting. If vomiting occurs, the head should be

kept low so that stomach vomit doesn't enter the lungs. Do not give victim anything to

drink if he is unconscious. Get medical attention if any discomfort continues.

Skin Remove immediately contaminated clothing and shoes. Wash the skin immediately

with soap and water.

Eyes Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyes wide apart. Continue to rinse for at least 15 minutes and get

medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguishing media Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Non-flammable.

5.3. Advice for firefighters

Protective measures in fire Wear self-contained breathing apparatus (SCBA) to prevent contact with thermal

decomposition products.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection Wear appropriate personal protective equipment - see Section 8.

6.2. Environmental precautions

Environmental protection Dyke to prevent entering any sewer or waterway.

6.3. Methods and material for containment and cleaning up

Spill cleanup methods Absorb in vermiculite, dry sand or earth and place into containers. Collect in

containers and seal securely.

6.4. Reference to other sections

See section 13 for waste handling.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear appropriate personal protective equipment - see Section 8. Read and follow

manufacturer's recommendations. Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store above freezing. Store separated from: Strong acids. Lead. Tin. Zinc. Aluminium.

Fluids must not be stored in containers of glass or galvanized materials. Use

containers made of: Steel. Suitable plastic material.

7.3. Specific end use(s)

Specific use(s) Contact supplier for more information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredient comments No exposure limits noted for ingredient(s).

Protective equipment





Process conditions Provide eyewash station. Well ventilated area.

8.2. Exposure controls

Ventilation

Respirators Respiratory protection not required. Standard EN 149.

Protective gloves Gloves are recommended for prolonged use. Use protective gloves made of: Butyl

> rubber. Nitrile. Neoprene. Time of breakthrough is not known, change gloves regulary. Suitable glove must be chosen in consultation with the gloves supplier, giving information of the breakthrough time for the glove material. Standard EN 374.

Eye protection If risk of splashing, wear safety goggles or face shield. Standard EN 166.

Other Protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygienic work practices Wash at the end of each work shift and before eating, smoking and using the toilet.

When using do not eat, drink or smoke. Use appropriate skin cream to prevent drying

Other exposure limits Personal protective equipment should be selected according to the CEN standards

and in cooperation with the supplier of personal protective equipment.

DNEL No data. PNEC No data.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fluid.

Colour Colourless.

Odour Odourless or no characteristic odour.

Solubility description Miscible with water.

Solubility value (g/100g H2O 20°C) 35

Boiling point (°C, interval) 100 Pressure

Density (g/cm3) 1,2 Temperature (°C) 20

pH-value, conc. solution 11,2

Viscosity (interval) 1 - 5 cps Temperature (°C) 20

9.2. Other information

Safety information Not known.

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactive groups.

10.2. Chemical stability

Stable when used at recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation Will not polymerise.

10.4. Conditions to avoid

No known risk factors.

10.5. Incompatible materials

Materials to avoid Acids. Aluminium, lead, zinc, tin or alloys of these metals.

10.6. Hazardous decomposition products

Hazardous decomp. products No hazardous decomposition products are emitted at recommended use and storage

conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxic dose - LD 50: 2000 mg/kg (oral rat)

Sensitization No allergic reaction is known.

GenotoxicityNo known heritable or mutagenic effects.CarcinogenicityNo evidence of carcinogenic properties.

Reproduction toxicityNo known hazardous effects on reproduction, fertility or to the unborn child.

Inhalation Inhalation of vapours/aerosols may cause irritation of respiratory passage.

Ingestion May cause discomfort if swallowed.

Skin May cause irritation.

Eyes May cause irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l: 3185 EC 50, 48 Hrs, Daphnia, mg/l: 247

Ecotoxicity Not regarded as dangerous to the environment. This does not, however, rule out the

possibility that large or frequent smaller emissions of the product may be harmful to the environment. Large amounts of the product may affect the acidity (pH-factor) in

water with possible risk of harmful effects to aquatic organisms.

12.2. Persistence and degradability

The product is easily biodegradable.

12.3. Bioaccumulative potential

Unknown.

12.4. Mobility in soil

Mobility Unknown.

12.5. Results of PBT and vPvB assessment

PTB/vPvB Component(s) is not identified as a PBT or vPvB-substance.

12.6. Other adverse effects

No known information.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General/cleaning Not hazardous waste.

Disposal methods Dispose of in accordance with Local Authority requirements.

Contaminated packaging The product packaging must be disposed of in compliance with the country specific

regulations.

SECTION 14: Transport information

General No dangerous goods (ADR/RID, IMDG, IATA/ICAO)

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

TRANSPORT BY INLAND WATERWAYS (ADN):

14.4. Packing group

14.5. Environmental hazards

Transport by inland waterways notes

Not applicable.

14.6. Special precautions for user

No particular precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace

exposure limits.

Other information Safety Data Sheet has been prepared using information provided by the manufacturer.

15.2. Chemical safety assessment

Chemical Safety Assessment Chemical Safety Report (CSR) has not been carried out for this product.

SECTION 16: Other information

Explanations to R-phrases in section 3

Explanations to classification in section

3

DSD/DPD

* Information revised since the previous version of the SDS

Issued by Essenticon AS, Leif Weldingsvei 18, N-3208 Sandefjord, Norway. E-mail:

post@essenticon.no. Phone.: +47 33 42 34 50 - Fax: +47 33 42 34 59

www.essenticon.com

Date of issue20.11.2019Safety Data Sheet statusCLP 03 ATP

Signature BH

Disclaimer The information in this safety data sheet is based on information from the

manufacturer/supplier, present European and national legislation, and presupposes

that the product is used within the specified area of application.